

PERFORMANCE

Processor

Processor Family

AMD Ryzen™ 3 / 5 / 7 Processor

Processor

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
AMD Ryzen 3 4300U	4	4	2.7GHz	3.7GHz	2MB L2 / 4MB L3	DDR4-3200	AMD Radeon™ Graphics
AMD Ryzen 5 4500U	6	6	2.3GHz	4.0GHz	3MB L2 / 8MB L3	DDR4-3200	AMD Radeon Graphics
AMD Ryzen 5 4600U	6	12	2.1GHz	4.0GHz	3MB L2 / 8MB L3	DDR4-3200	AMD Radeon Graphics
AMD Ryzen 5 PRO 4650U	6	12	2.1GHz	4.0GHz	3MB L2 / 8MB L3	DDR4-3200	AMD Radeon Graphics
AMD Ryzen 7 4700U	8	8	2.0GHz	4.1GHz	4MB L2 / 8MB L3	DDR4-3200	AMD Radeon Graphics
AMD Ryzen 7 4800U	8	16	1.8GHz	4.2GHz	4MB L2 / 8MB L3	DDR4-3200	AMD Radeon Graphics

Notes:

• Ryzen 7 4800U is NOT available in EMEA

Operating System

- Windows® 10 Home 64
- Windows 10 Pro 64
- · No operating system

Graphics

Graphics	Туре	Memory	Key Features
AMD Radeon Graphics	Integrated	Shared	DirectX® 12

Monitor Support

Supports up to 3 independent displays via native display and 2 external monitors; supports external monitors via HDMI® (up to 3840x2160@30Hz) or USB-C (up to 3840x2160@60Hz)

Chipset

AMD SoC (System on Chip) platform

Memory

Memory Type

DDR4-3200

Memory Slots

One memory soldered to systemboard, one DDR4 SO-DIMM slot, dual-channel capable

Max Memory

- Up to 20GB (4GB soldered + 16GB SO-DIMM) DDR4-3200
- Up to 24GB (8GB soldered + 16GB SO-DIMM) DDR4-3200

Notes:

• The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the technology develops.

Storage



Storage Support

Up to two drives, 1x M.2 2242 SSD + 1x M.2 2280 SSD

- M.2 2280 SSD up to 1TB
- M.2 2242 SSD up to 512GB

Storage Type

Disk Type	Interface	RPM	Security
M.2 2242 SSD	PCIe NVMe, PCIe 3.0 x4	-	-

Removable Storage

Optical

Not Support

Card Reader

Not Support

Multi-Media

Audio Chip

High Definition (HD) Audio, Realtek® ALC3287 codec

Speakers

Stereo speakers, 2W x2, Dolby® Audio™, HARMAN-branded

Microphone

Dual array microphone

Camera

- 720p, with ThinkShutter, fixed focus
- IR & 720p, with ThinkShutter, fixed focus

Battery

Battery

Integrated Li-Polymer 45Wh battery, supports Rapid Charge (charge up to 80% in 1hr)

Max Battery Life

MobileMark® 2014: 13 hr

Notes:

• All battery life claims are approximate maximum and based on results using the MobileMark 2014 and/or MobileMark 2018 battery-life benchmark tests. Actual battery life will vary and depends on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

Power Adapter

65W USB-C AC adapter

DESIGN

Display

Display

Size	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Viewing Angle	Key Features
14.0"	FHD (1920x1080)	None	TN	220 nits	Anti- glare	16:9	400:1	-	90°	_
14.0"	FHD (1920x1080)	None	IPS	250 nits	Anti- glare	16:9	700:1	-	170°	-

Notes:

• California Electronic Waste Recycling Fee



In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, go to https://www.calrecycle.ca.gov/Electronics/Consumer

Touchscreen

Non-touch

Input Device

Keyboard

6-row, spill-resistant, multimedia Fn keys with Unified Communications controls

Keyboard Backlight

- LED backlight
- Not support

UltraNav™

TrackPoint® pointing device and Mylar® surface multi-touch touchpad

Mechanical

Dimensions (WxDxH)

Models	Dimensions				
Aluminium (Top), PC / ABS (Bottom) models	324 x 220 x 18.9 mm (12.76 x 8.66 x 0.74 inches)				
PC / ABS (Top), PC / ABS (Bottom) models	324 x 220 x 20.5 mm (12.76 x 8.66 x 0.81 inches)				
Aluminium (Top), Aluminium (Bottom) models	324 x 220 x 17.9 mm (12.76 x 8.66 x 0.7 inches)				

Weight

Models	Weight
Aluminium (Top), PC / ABS (Bottom) models	1.59 kg (3.51 lbs)
PC / ABS (Top), PC / ABS (Bottom) models	1.69 kg (3.73 lbs)
Aluminium (Top), Aluminium (Bottom) models	1.64 kg (3.62 lbs)

Case Color

Black

Case Material

- Aluminium (top), Aluminium (bottom)
- Aluminium (top), PC + ABS (bottom)
- PC + ABS (top), PC + ABS (bottom)

CONNECTIVITY

Network

Onboard Ethernet

Gigabit Ethernet, Realtek RTL8111GUS

WLAN + Bluetooth™

- Realtek RTL8822CE, 802.11ac Dual Band 2x2 Wi-Fi + Bluetooth 5.0, M.2 card
- Intel® Wi-Fi 6 AX200, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 card

Notes:

Realtek RTL8822CE is NOT available in EMEA
 Intel WiFi 6 full features might be limited by country level restrictions
 BT5.1 is supported on Windows 10 version 2004 or above (limited to BT5.0 on earlier version)

WWAN

Not Support

SIM Card

Not Support

NFC

Not support



Ports

Standard Ports

- 1x USB 2.0
- 1x USB 3.2 Gen 1 (Always On)
- 1x USB-C 3.2 Gen 1 (support data, PD and DP 1.2)
- 1x HDMI 1.4b
- 1x Ethernet (RJ-45)
- 1x headphone / microphone combo jack (3.5mm)

Notes:

· Depending on many factors, actual data transfer speed may be lower than theoretical speed

SECURITY & PRIVACY

Security

Security Chip

- · Discrete TPM 2.0, TCG certified
- · Firmware TPM 2.0 integrated in chipset

Physical Locks

Kensington® Security Slot

Smart Card Reader

Not Support

Fingerprint reader

- Touch style fingerprint reader on power button
- Not configured

BIOS Security

- Power-on password
- · Supervisor password
- · Hard disk password
- Self-healing BIOS

Other Security

- ThinkShutter camera cover
- (Optional) IR camera for Windows Hello

SERVICE

Warranty

Base Warranty

- 1-year mail-in service
- 1-year depot service
- 1-year limited onsite service
- 1-year depot with 2-year system board service
- No base warranty

CERTIFICATIONS

Green Certifications

- EPEAT™ Gold
- ENERGY STAR® 8.0
- ErP Lot 3
- TCO
- RoHS

Other Certifications

Mil-Spec Test



MIL-STD-810H military test passed







AMD**∄**





дама дама



AMD



LDMA